

Mollusken van groeve de Kuilen, Langenboom Kbl. 45F coörd. 179.9/412.3	A.W. Burger 29-06-2002	W.B. Burger 2002-2003	A. Janse 1985	A. Janse 29-06-2002
Pelecypoda				
<i>Leionucula laevigata</i> (Sowerby, 1818)	X		X	X
<i>Nucula sp.</i>	X		X	
<i>Nucula nucleus</i> (Linné, 1767)	X			X
<i>Nucula trigonula</i> Wood, 1851				X
<i>Nuculana minuta</i> (Müller, 1776)				X
<i>Yoldiella pygmaea</i> (von Münster, 1837)				X
<i>Yoldia semistriata</i> (Wood, 1840)	X		X	X
<i>Anadara spec.</i>		X		X
<i>Glycymeris (Chevronia) obovata ringelei</i> Moerdijk & van Nieulande, 2000	X	X	X	X
<i>Glycymeris (Chevronia) variabilis</i> (Sowerby, 1824)	X	X	X	X
<i>Arcoperna spec.</i>	X			
<i>Modiolula cf. phaseolina</i> (Philippi, 1844)	X			
<i>Modiolus spec.</i>	X			X
<i>Atrina fragilis</i> subspec.	X	X	X	X
<i>Neopycnodonte cochlear</i> (Poli, 1795)			X	X
<i>Ostrea spec.</i>	X		X	X
<i>Heteranomia squamula</i> (Linné, 1758)	X		X	X
<i>Monia patelliformis</i> (Linné, 1767)	X		X	X
<i>Aequipecten cf. angelonii</i> (di Stefani & Pantanelli, 1880)	X	X		X
<i>Aequipecten opercularis</i> (Linné, 1758)	X	X	X	X
<i>Aequipecten radians</i> (Nyst, 1839)	X	X	X	X
<i>Aequipecten wagenaari</i> Marquet & Dijkstra, 2000	X	X		X
<i>Palliolum gerardi</i> (Nyst, 1835)	X		X	X
<i>Palliolum tigerinum</i> (Müller, 1776)				X
<i>Pecten complanatus</i> Sowerby, 1828	X		X	X
<i>Crassodoma harmeri</i> (van Renteren Altena, 1937)				X
<i>Lucinoma borealis</i> (Linné, 1767)	X	X	X	X
<i>Cavilucina droueti</i> (Nyst, 1861)	X			X
<i>Parvilucina scaldensis</i> (Glibert & van de Poel, 1967)	X			X
<i>Thyasira flexuosa</i> (Montagu, 1803)	X			
<i>Diplodonta rotundata</i> (Montagu, 1803)	X		X	X

Mollusken van groeve de Kuilen, Langenboom Kbl. 45F coörd. 179.9/412.3	A.W. Burger 29-06-2002	W.B. Burger 2002-2003	A. Janse 1985	A. Janse 29-06-2002
<i>Felaniella trigonula astartea</i> (Nyst, 1835)	X			X
? <i>Kellia</i> spec.	X			
<i>Kellia suborbicularis</i> (Montagu, 1803)	X			
? <i>Semierycina</i> spec.	X			
<i>Semierycina nitida</i> (Turton, 1822)	X			X
<i>Phascoliophila coarctata</i> (Wood, 1851)	X			X
<i>Mysella bidentata</i> (Montagu, 1803)	X			X
<i>Galeommatidae</i> spec.	X			
<i>Cyclocardia</i> spec. (<i>chamaeformis/orbicularis</i> (Sowerby, 1825))	X	X	X	X
<i>Cyclocardia scalaris</i> (Sowerby, 1825)	X		X	X
<i>Pteromeris corbis</i> (Philippi, 1836)	X		X	X
<i>Erycinella cf. pygmaea</i> (Wood, 1874)	X			
<i>Astarte</i> spec.			X	
<i>Astarte anus</i> Philippi, 1844	X			X
<i>Astarte corbuloides</i> <i>corbuloides de la Jonkaire</i> , 1823			X	X
<i>Astarte corbuloides</i> <i>galeotti</i> Nyst, 1835	X	X	X	X
<i>Astarte fusca</i> <i>basteroti</i> <i>de la Jonkaire</i> , 1823	X	X	X	X
? <i>Astarte fusca</i> <i>incrassata</i> (Brocchi, 1814)	X		X	
<i>Astarte incerta</i> Wood, 1853	X	X	X	X
<i>Astarte obliquata</i> <i>burtinea de la Jonkaire</i> , 1823	X	X	X	X
<i>Astarte obliquata</i> <i>obliquata</i> Sowerby, 1817	X	X	X	X
<i>Astarte omalii</i> <i>omalii de la Jonkaire</i> , 1823	X	X		X
<i>Astarte omalii</i> <i>peelensis</i> Spaink, 1968	X			X
<i>Carinastarte trigonata</i> (Nyst, 1881)	X	X	X	X
<i>Tridonta elliptica</i> (Brown, 1827)	X			
<i>Digitaria digitaria</i> (Linné, 1758)	X	X	X	X
<i>Goodallia</i> spec. juv.	X			
<i>Goodallia triangularis</i> (Montagu, 1803)	X		X	X
<i>Goodallia waeli pseudopygmaea</i> Glibert, 1957				X
<i>Parvicardium scabrum</i> (Philippi, 1844)	X			X
<i>Cerastoderma edule</i> <i>hostei</i> Chavan, 1945			X	X
<i>Laevicardium decorticatum</i> (Wood, 1840)	X		X	X

Mollusken van groeve de Kuilen, Langenboom Kbl. 45F coörd. 179.9/412.3	A.W. Burger 29-06-2002	W.B. Burger 2002-2003	A. Janse 1985	A. Janse 29-06-2002
<i>Laevicardium parkinsoni</i> (Sowerby, 1814)			X	
<i>Spisula spec.</i>				X
<i>Spisula spec. (cf. solida (Linné, 1758))</i>	X			
<i>Spisula arcuata</i> (Sowerby, 1817)	X		X	X
<i>Spisula cf. elliptica</i> (Brown, 1827)	X			
<i>Spisula subtruncata subtruncata</i> (Da Costa, 1778)	X			
<i>Spisula subtruncata triangulata</i> (Wood, 1857)	X		X	X
<i>Lutraria scaldensis</i> van Urk, 1980				X
<i>Ensis spec. indet.</i>	X			
<i>Ensis complanatus</i> Sowerby, 1844	X		X	X
<i>Ensis hausmanni</i> (Goldfuss, 1841)	X	X	X	X
<i>Angulus benedeni benedeni</i> (Nyst & Westendorp, 1839)	X	X	X	X
<i>Angulus donacillus</i> (Wood, 1857)	X			
<i>Angulus donacinus</i> (Linné, 1758)	X		X	X
<i>Angulus cf. posterus</i> (Beyrich, in von Koenen, 1868)	X			X
? <i>Arcopagia spec.</i>	X			
<i>Arcopagia cf. crassa</i> (Pennant, 1777)	X			
<i>Gastrana laminosa</i> (Sowerby, 1827)	X			X
<i>Abra prismatica</i> (Montagu, 1803)	X		X	X
<i>Gari fervensis</i> (Gmelin, 1791)	X			X
<i>Solecurtus scopulus</i> (Turton, 1822)				X
<i>Arctica islandica</i> (Linné, 1767)	X	X	X	X
<i>Pygocardia rustica tumida</i> (Nyst, 1836)	X		X	X
<i>Pygocardia rustica tumida forma solida Ringelé</i>		X		
? <i>Glossus spec. juv.</i>	X			
<i>Glossus humanus</i> (Linné, 1758)	X			X
<i>Dosina casina</i> (Linné, 1758)	X		X	X
<i>Gouldia minima</i> (Montagu, 1803)	X			X
<i>Timoclea ovata</i> (Pennant, 1777)	X	X	X	X
<i>Callista chione</i> (Linné, 1758)	X		X	X
<i>Pitar rudis</i> (Poli, 1795)	X			X
<i>Venerupis spec. juv.</i>	X			

Mollusken van groeve de Kuilen, Langenboom Kbl. 45F coörd. 179.9/412.3	A.W. Burger 29-06-2002	W.B. Burger 2002-2003	A. Janse 1985	A. Janse 29-06-2002
<i>Venerupis rhomboides</i> (Pennant, 1777)	X		X	X
<i>Dosinia exoleta</i> (Linné, 1758)	X			X
<i>Dosinia lupinus lincta</i> (Pulteney, 1799)	X	X	X	
<i>Lajonkairia rupestris lupinoides</i> (Nyst, 1837)	✗			X
<i>Mya truncata</i> Linné, 1758	X		X	X
<i>Sphenia binghami</i> Turton, 1822	X			
<i>Corbula</i> (<i>Varicorbula</i>) <i>gibba</i> (Olivi, 1792)	X		X	X
<i>Lentidium complanatum</i> (Sowerby, 1822)	X		X	X
<i>Cyrtodaria angusta</i> (Nyst & Westendorp, 1839)	X		X	X
<i>Hiatella arctica</i> (Linné, 1767)	X		X	X
<i>Panopea</i> spec.	X		X	X
<i>Teredo</i> spec.	✗			X
<i>Thracia</i> spec. div.	X			
<i>Cochlodesma praetenue</i> (Pulteney, 1799)	X			X
<i>Cuspidaria cuspidata</i> (Wood, 1842)	X		X	X
Scaphopoda				
<i>Fissidentalium floratum</i> (Zimmermann, 1847)	X	X		X
<i>Fissidentalium</i> cf. <i>sexangulum</i> (Gmelin, 1790)	X			
<i>Dischides</i> cf. <i>politus</i> (Wood, 1842)	X		X	X
Gastropoda				
<i>Emarginula crassa</i> Sowerby, 1813			X	X
<i>Margarites</i> aff. <i>ditropis</i> (Wood, 1848)				X
<i>Calliostoma</i> cf. <i>simile</i> (Sowerby, 1817)	X			
<i>Gibbula</i> spec. (cf. ? <i>crassistriata</i> (Bell in Wood, 1882))	X			
<i>Cingula inusitata</i> (Beets, 1946)	X		X	X
<i>Tornus belgicus</i> (Glibert, 1949)	X			X
<i>Turritella incrassata incrassata</i> Sowerby, 1814	X	X		X
<i>Turritella incrassata erthensis</i> Bucquoy, Dautzenberg & Dollfus, 1844	X	X		
<i>Turritella tricarinata</i> (Brocchi, 1814)	X	X	X	X
<i>Turritella vanderfeeni</i> Brakman, 1937				X

Mollusken van groeve de Kuilen, Langenboom Kbl. 45F coörd. 179.9/412.3	A.W. Burger 29-06-2002	W.B. Burger 2002-2003	A. Janse 1985	A. Janse 29-06-2002
<i>Cerithiopsis barleei</i> Jeffreys, 1867				X
<i>Cerithiopsis nana</i> (Wood, 1848)				X
<i>Krachia zelandica</i> (Beets, 1946)	X			
<i>Opalia obtusicostata</i> (Wood, 1848)				X
<i>Cirsotrema crassicostatum</i> (Deshayes, 1839)				X
<i>Epitonium frondiculum</i> (Wood, 1848)	X		X	X
<i>Eulima spec.</i>	X			
<i>Eulima glabra</i> (da Costa, 1778)	X			X
<i>Vitreolina spec.</i>	X			
<i>Aporrhais scaldensis</i> van Regteren Altena, 1954	X		X	X
<i>Calyptaea chinensis</i> (Linné, 1758)				X
<i>Capulus ungaricus</i> (Linné, 1758)				X
<i>Xenophora cf. scaldensis</i> Glibert, 1958	X		X	X
? <i>Lamellaria perspicua</i> (Linné, 1758)				X
<i>Euspira catenoides</i> (Wood, 1842)			X	X
<i>Euspira cirriformis</i> (Sowerby, 1824)	X			
<i>Euspira exvarians</i> (Sacco, 1891)				X
<i>Euspira helicina hemiclausa</i> (Sowerby, 1824)	X		X	X
<i>Cryptonatica operculata</i> (Jeffreys, 1885)	X			X
<i>Natica crassa</i> Nyst, 1843	X		X	X
<i>Natica cf. neglecta</i> (Mayer, 1858)	X			
<i>Galeodea bicanalata</i> (Sowerby, 1817)		X		X
<i>Atracodon elegans</i> Charlesworth, 1837	X			
<i>Buccinum undatum</i> Linné, 1758			X	X
<i>Neptunea angulata</i> (Wood, 1848)	X	X	X	X
? <i>Scalaspira spec.</i>	X			
<i>Scalaspira (Scalaspira) alveolata</i> (Sowerby, 1829)		X		
<i>Amyclina labiosa</i> (Sowerby, 1825)	X		X	X
<i>Nassarius consociatus</i> (Wood, 1848)				X
<i>Nassarius propinquus</i> (Sowerby, 1825)			X	X
<i>Nassarius reticosus</i> (Soerby, 1815)			X	
<i>Lathirus spec.</i>	X			

Mollusken van groeve de Kuilen, Langenboom Kbl. 45F coörd. 179.9/412.3	A.W. Burger 29-06-2002	W.B. Burger 2002-2003	A. Janse 1985	A. Janse 29-06-2002
<i>Scaphella spec.</i>	X			
<i>Scaphella lamberti</i> (Sowerby, 1816)			X	X
<i>Cancellaria spec.</i>				X
<i>Sveltia spec.</i>	X			
<i>Sveltia cf. jonkaireana</i> (Nyst, 1835)	X			X
<i>Acampogenotia intorta nysti</i> Glibert, 1954	X			X
<i>Gemmula (Gemmula) spiralis rotata</i> (Brocchi, 1814)	X			
<i>Gemmula (Gemmula) aff. hinschi</i> (Anderson, 1964)				X
<i>Gemmula (Unedogemmula) antwerpiensis</i> (Vincent, 1890)			X	X
? <i>Asthenotoma spec.</i>	X			
<i>Asthenotoma cf. ornata</i> (Defrance, 1826)	X			
<i>Bela spec.</i>	X			
<i>Cytharella spec.</i>	X			
? <i>Raphitoma spec.</i>	X			
<i>Conus dujardini</i> Deshayes, 1845	X			X
<i>Terebra inversa</i> subspec.	X			
<i>Ringicula buccinea</i> (Brocchi, 1814)				X
<i>Ringicula ventricosa</i> (Sowerby, 1824)	X			
<i>Actaeon spec.</i>	X			X
<i>Chrysallida indistincta</i> (Montagu, 1808)	X			
<i>Odostomia (O.) spec. 1</i>	X		X	
<i>Odostomia (O.) spec. 2</i>	X			
<i>Odostomia (O.) spec. 3</i>	X			
<i>Odostomia (O.) spec. 4</i>	X			
<i>Odostomia (Megastomia) spec.</i>	X			
<i>Odostomia (Megastomia) cf. conoidea</i> (Brocchi, 1814)				X
<i>Pyramidella laeviuscula</i> Wood, 1842	X			X
<i>Pyramidella cf. plicosa</i> Brönn, 1838	X			
<i>Phasianema zelandica</i> (Bloklander, 1949)				X
<i>Turbonilla spec.</i>				X
<i>Turbonilla (Pyrgiscus) aff. crenata</i> (Brown, 1827)				X
<i>Turbonilla (Pyrgiscus) senistriata</i> (Wood, 1879)	X			X

Mollusken van groeve de Kuilen, Langenboom Kbl. 45F coörd. 179.9/412.3	A.W. Burger 29-06-2002	W.B. Burger 2002-2003	A. Janse 1985	A. Janse 29-06-2002
? <i>Turbonilla</i> (<i>Pyrgiscus</i>) aff. <i>senistriata</i> (Wood, 1879)	X			
<i>Scaphander lignarius</i> (Linné, 1758)	X		X	X
<i>Cylichna cylindracea</i> (Pennant, 1777)	X		X	X
<i>Volvulella acuminata</i> (Bruguière, 1792)	X			X